

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	158	((single or sole or solitary or particular or specific or central\$4) near server) same ((different or separate or distinct) near tier or (back adj end or backend or back-end) adj server)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:27
L2	88	((single or sole or solitary or particular or specific or central\$4) near server) same ((different or separate or distinct) near tier or (back adj end or backend or back-end) adj server) and ("707".clas. or "709".clas. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:28
L3	35	((single or sole or solitary or particular or specific or central\$4) near server) same ((different or separate or distinct) near tier or (back adj end or backend or back-end) adj server) and ("707/10,103X,201,203".ccls. or "709/203".ccls. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:30
L4	7	((single or sole or solitary or particular or specific or central\$4) near server) with ((different or separate or distinct) near tier or (back adj end or backend or back-end) adj server) and ("707/10,103X,201,203".ccls. or "709/203".ccls. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:30
L5	1	((single or sole or solitary or particular or specific or central\$4) near server) same ((different or separate or distinct) near tier or (back adj end or backend or back-end) adj server) same table and ("707/10,103X,201,203".ccls. or "709/203".ccls. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:34
L6	3	((single or sole or solitary or particular or specific or central\$4) near server) same (data-type or data adj type) with table and ("707/10,103X,201,203".ccls. or "709/203".ccls. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:34

EAST Search History

L7	3	((single or sole or solitary or particular or specific or central\$4) near3 server) same (data-type or data adj type) with table and ("707/10,103X,201,203".ccls. or "709/203".ccls. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:35
L8	60	((single or sole or solitary or particular or specific or central\$4) near3 server) same (data-type or data adj type) and ("707/10,103X,201,203".ccls. or "709/203".ccls. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:35
L9	13	((single or sole or solitary or particular or specific or central\$4) near3 server) with (data-type or data adj type) and ("707/10,103X,201,203".ccls. or "709/203".ccls. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:35
L10	2	((single or sole or solitary or particular or specific or central\$4) near3 server) same ((different or separate or distinct) near tier or (back adj end or backend or back-end) adj server) same (data-type or data adj type) and ("707/10,103X,201,203".ccls. or "709/203".ccls. or "717".clas.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/10 14:44



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

☒ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 18,600 for **server centralized OR single 'data type' tab**

[All Results](#)

[B Nitzberg](#)

[J Accetta](#)

[C Lamb](#)

[R Ihaka](#)

[V Lo](#)

[Interactive volume rendering](#)

L Westover - Proceedings of the 1989 Chapel Hill workshop on Volume ..., 1989 - portal.acm.org

... INTRODUCTION A common **data type** in scientific computing is a ... list of the map/shade **server** packet buffers. ... Both the **single** processor version and the parallel ver ...

[Cited by 170](#) - [Related Articles](#) - [Web Search](#)

[\[PDF\] Advanced SQL Injection In SQL **Server** Applications - all 112 versions »](#)

C Anley - White paper, Next Generation Security Software Ltd, 2002 - iespana.es

... creates a **table** 'foo', which contains the **single** column 'ret ... Microsoft][ODBC SQL **Server** Driver][SQL **Server**]Syntax error ... fred/sesame' to a column of **data type** int ...

[Cited by 73](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[NCSA's World Wide Web **server**: design and performance - all 8 versions »](#)

TT Kwan, RE McGrath, DA Reed - Computer, 1995 - doi.ieeeecs.org

... **Data-type**-specific caching algorithms are one potential solution ... www.ncsa.uiuc.edu is a **single** host, the ... either the decoupling of logical WWW **server** names from ...

[Cited by 197](#) - [Related Articles](#) - [Web Search](#)

[Method and apparatus for storing and manipulating objects in a plurality of relational data managers ... - all 3 versions »](#)

SS Sarkar - US Patent 6,012,067, 2000 - Google Patents

... inside a source that is external to the **server**. ... object of maximum size limit containing **single** byte characters ... Multiple LOB **data type** columns can be defined in ...

[Cited by 87](#) - [Related Articles](#) - [Web Search](#)

[Distributed shared memory: a survey of issues and algorithms - all 4 versions »](#)

B Nitzberg, V Lo - Computer, 1991 - ieeeexplore.ieee.org

... where the compiler forcesshared pages to contain a **single data type**. ... shared data ends up on a **single** node ... locate data is to have a **centralized server** that keeps ...

[Cited by 339](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[Managing Attribute—Value Clinical Trials Data Using the ACT/DB Client—**Server** Database System - all 6 versions »](#)

PM Nadkarni, C Brandt, S Frawley, FG Sayward, R ... - Journal of the American Medical Informatics Association, 1998 - j-amia.org

... Such data are segregated according to **data type** to allow indexing by ... file extension to be appended to BLOBs downloaded from the **server**. ... A **single** BLOB attribute ...

[Cited by 51](#) - [Related Articles](#) - [Web Search](#)

[On configuring a **single** disk continuous media **server** - all 5 versions »](#)

S Ghandeharizadeh, SH Kim, C Shahabi - ACM SIGMETRICS Performance Evaluation Review, 1995 - portal.acm.org

... The objects of this **data type**, in particular video, are large in size. ... a **single** disk **server** (with four megabytes of memory) may ...

[Cited by 66](#) - [Related Articles](#) - [Web Search](#)

[\[PDF\] Mach: A new kernel foundation for UNIX development - all 2 versions »](#)

JJ Accetta, RV Baron, W Bolosky, DB Golub, RF ... - contract - fsl.cs.sunysb.edu
... Each network **server** holds receive rights to those ... s network servers handle **data-type**
conver- sion and ... including support for breakpoints, **single** instruction step ...
[Cited by 754](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[The ObjectStore database system - all 3 versions »](#)

C Lamb, G Landis, J Orenstein, D Weinreb - Communications of the ACM, 1991 - portal.acm.org
... Objects of any C++ **data type** whatsoever can be allocated ... ObjectStore retrieves the
page from the **server** and places ... same page, will run in a **single** in- struction ...
[Cited by 502](#) - [Related Articles](#) - [Web Search](#)

[Integrating XML and databases - all 5 versions »](#)

E Bertino, B Catania - Internet Computing, IEEE, 2001 - ieeexplore.ieee.org
... as **single** objects — for example, in a **single** data field. ... the char- acter large-object
(Clob) **data type**, or it ... SQL **Server** differs from Oracle 8i in that three ...
[Cited by 61](#) - [Related Articles](#) - [Web Search](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)